Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6625713".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:23
L2	3	"6446177".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:24
L3	3325	711/103.ccls. or 711/202-203.ccls. or 711/209.ccls. or 711/221.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:47
L4	5781	365/185.33.ccls. or 365/94.ccls. or 365/230.03.ccls. or 365/185.09.ccls. or "230"".""09".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:54
L5	3243	714/6.ccls. or 714/746.ccls. or 714/766.ccls. or 714/768.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:00
L6	93	estakhri-petro\$.in. or nemazie-siamack\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:00
L7	993	(flash or eeprom or eprom or (non adj2 volatile) or prom) same ((overhead or attribute or ecc or exten\$4 or expan\$4 or (error near2 correction) or parity) near3 block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:03
L8	22	6 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:04

L9	21	8 and (@ad<="20000825" or @rlad<="20000825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:31
L10		(flash or eeprom or eprom or (non adj2 volatile) or prom) same ((overhead or attribute or ecc or exten\$4 or expan\$4 or (error near2 correction) or parity) near3 block) same (user near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:03
L11	19	10 and (@ad<="20000825" or @rlad<="20000825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:06
L12	165	(independent or separate) with (erase) with block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:59
L13	1863	(independent or separate) with (program\$5) with block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/02/11 14:28
L14	4577	physical with address with block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:59
L15	285	(flash or eeprom or eprom or (non adj2 volatile) or prom) same page same block same (sector or segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:02
L16	30	7 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:03

L17	26	16 and (user near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:04
L18	0	17 and 14 and 12 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:04
L20	12102	3 or 4 or 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:05
L21	20	17 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:05
L22	7	21 and (@ad<="20000825" or @rlad<="20000825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:20
L23	0	(fix\$2 near overhead\$3) same (random near2 overhead\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:18
L24	0	(fix\$2 near5 overhead\$3) same (random near5 overhead\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:19
L25	14	17 and fix\$3 and random\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:22

L26	8	25 and (@ad<="20000825" or @rlad<="20000825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:29
L27	0	17 and (fix\$3 with overhead) and (random\$2 with overhead)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:24
L28	90	super near5 overhead	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:24
L29	1	17 and 28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:25
L30	5	17 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:28
L31	0	30 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:29
L32	0	30 and (@ad<="20000825" or @rlad<="20000825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:29